

## ASTRO-PSYCHO-PHYSICS: DYNAMICS OF DIABETES

By Richard Nelson

Fourteen years ago, several students and I, had the chance to meet with Guy de Penguern, PMAFA, in Montignac, France. We had started an e-mail relationship a couple of years before that. He had demonstrated an uncanny ability to forecast and predict timing of diseases. We do believe that our life's potential lies in the natal chart. He has gone far in demonstrating that in health areas.

In order to feel comfortable with his claims, I gave him birth information for me, my wife, my family, and several friends. The results were amazing. Guy gave me his methodology and we put a workbook together in 2005. His client basis for claims in 1994 was over 2,000. It is now over 3500.

In his work on Astro-Psycho-Physics<sup>1</sup>, Guy did not get heavily into diabetes, however. Noel Tyl, in his *Astrological Timing of Critical Illness*,<sup>2</sup> did. While not claiming to be specialized in medical astrology, Tyl noted that among several thousand clients, over 80 % of diabetics had strong Venus and Jupiter aspects.

Diabetes and sugar are listed under Venus in Rex Bills's *The Rulership Book*<sup>3</sup>, Jupiter is listed under diseases caused by excesses, and glycogen, a polysaccharide of glucose is also listed. Bills, in his index, shows diabetes ruled by Jupiter, Venus, Libra and (Virgo/Mars). Parentheses are his. J. Lee Lehman, Ph.D, in *The Book of Rulerships*<sup>4</sup>, lists Venus for diabetes, with Lilly and Ramesey as the historical sources. Sugar is ruled by Jupiter, according to Dariot and Lilly. Lehman has done an excellent job with this compilation, even to the point of showing agreements and disagreements of rulerships among eight sources. Since diabetes was present on both sides of my family, I decided to investigate this area myself. There was also additional incentive, as my research has indicated that diabetes is a precursor to most major diseases.

For starters, about 25 % of several thousand charts in my database<sup>5</sup> have Venus and Jupiter aspects. I noticed this using Solar Fire's defaults. This corresponds to the claim of Joseph Mercola, DO that diabetes or pre-diabetes now strikes one in four Americans.<sup>6</sup>

Guy de Penguern's methodology includes a number of specifics. He makes much of Koch house cusps. He also makes an adjustment to the birth time since calculations based on the clock are really mean and not real time. This makes a major difference with fixed sign births. The MC can be off by as much as four degrees, but those born at high and low latitudes, let's say, might have the ASC off by 6 degrees or more.<sup>7</sup>

The 1<sup>st</sup> house is the house of life, and the 6<sup>th</sup>, the house of illness. Transits or directions to the 6<sup>th</sup> house cusp tell much about health. Penguern also makes the point that soft aspects may not be positive in interpretation; if you have a sextile with both planets in the signs of long ascension, they tend to be negative in their health interpretation. For additional information, he utilizes what he calls QOTZ, The Quantified Tropical Zodiac on the Organic Level. This is a listing of

body parts by each degree of the zodiac, as shown in Table 1. Guy obtained this information from Robert Jansky. According to Guy, Dr. Koch developed this information from old sources, and made minor changes along with colleagues such as Elspeth and Reinhold Ebertin about eighty years ago. You can see body connections by degree in the Solar Fire Interpretative Report. With a three degree orb, information is lacking from the neighboring degrees, so it is much easier to work from a table of the degrees. These degrees are activated by conjunction and sendings. Morinus is the main source for sendings.<sup>8</sup> The most powerful sending is the polarity or opposition. You will see manifestations later in life by transits, progressions, solar arcs, and solar returns. Guy also uses the Kepler program to see minor aspect sendings. He also pays much attention to 165 degree aspect<sup>9</sup>, which he claims is evil for health.

I have found that you can be confident about accuracy of diabetes prediction by over 90 % with the use of several additional techniques:

- 1.) Use declinations as well as longitudes, utilizing about 90 days for a lifetime of secondary progressions. Create ephemerides for this. Use progressed to radix and progressed to progressed (Venus and Jupiter) connections. Note a parallel or contra parallel between Venus and Jupiter. Use a one degree orb. As the latitude nears the bounds of the ecliptic, you must narrow the orbs. Kt Boehrer is an excellent source for a detailed explanation of declination orbs.<sup>10</sup> For longitudes, use one degree applying to exact.
- 2.) For timing, check Solar Arc.
- 3.) For timing, run Solar Return. Run precessed return. Place precessed angles on regular Solar Return and start houses from the precessed ascendant.
- 4.) Check the family history. If there is diabetes on both sides of the family with the Venus and Jupiter aspects, the potential rises.
- 5) Look for The Metabolic Syndrome (TMS).<sup>11</sup> Diagnosis of TMS requires that at least three of the following be present:
  - a) Excessive waist circumference (more than forty inches for men and thirty five inches for women)
  - b) Serum triglyceride (blood fat) be greater than 150 mg/dL or tenth of a liter.
  - c) "Good" cholesterol (D\HDL-C) less than 40 mg/dL in men and less than 50 mg/dL in women.
  - d) Elevated blood pressure higher than 135/85.
  - e) Fasting blood glucose over 99 mg/dL.

There can be down stream good news for your client(s). In most cases, TMS and the onset of diabetes is reversible. A change in lifestyle and exercise can do the trick. See Quiz II in the Table 2. The questions in this quiz give you a subjective point count and provide clarity on the changes you can make. Following the quiz is a list of a supplementary vitamins for diabetes.

**Please note that I am not a licensed health professional. You must double-check these claims with an appropriate licensed professional.**

### **Case Examples**

Below are some case examples that demonstrate this methodology.

Jeffrey Green

Source: aforementioned Tyl book

Dec. 2, 1946, 4:52 AM, Hollywood, CA

ASC 16 Sco 12; MC 23 Leo 06

Note Venus conjunct Jupiter, 3° 12' applying, sandwiching the ascendant. Venus is retrograde, and goes direct at age 6. Secondary Jupiter is conjunct Venus radix at age 15. At 28, progressed Venus is parallel Jupiter radix. Progressed Jupiter is parallel Venus radix. At 42, progressed Venus is parallel progressed Jupiter. I believe there was a definite issue at that time. Quoting Tyl pg. 260: "Warned by his father, Jeffrey began to combat the onset of diabetes with special herbs and diet control. Sure enough, in his forties, Jeffrey started to develop diabetes, was diagnosed as borderline, but by continuing his combative measures, he has held the condition at bay."

Lynn Hyde

Source: herself, a local astrologer; used with her permission.

Mar. 12, 1956, 8:47 PM EST, Detroit, MI

ASC 19 Lib 00; MC 29 Can 34'

While Venus and Jupiter have no traditional aspect, there is a strong natal Venus parallel Jupiter within 5'. She maintains that an auto accident triggered a stress condition which caused the diabetes at age 10. I feel that progressed Jupiter at that time, coming to an exact inconjunct to the Sun on the cusp of the 6<sup>th</sup> was it. Jupiter in domicile was also the ruler of the 6<sup>th</sup> and the dispositor of the Sun. Note that the 1<sup>st</sup> house is the house of health and the 6<sup>th</sup> of illness.

Paul Passenger

Source: Birth and death dates given in the Miami Herald on Jul 18, 2006.

Born Jan. 26, 1949; died Jul. 18, 2005. Time and place not known.

The onset of Type 1 diabetes was 52 years before his death, or in 1953. Venus is parallel Jupiter 0° 01'. There is also a Venus conjunct Jupiter by longitude, square Neptune. Venus and Jupiter are at the polarity of the pancreas degree. This was the first chart that I found from the newspaper when I decided to start this work. By secondary progression at death, Venus squares Uranus, and Jupiter is inconjunct to it. By direction at death, Pluto is approaching a conjunction to natal Neptune opposing Mars, all square to the pancreas degree. Directed Neptune forms the 165 or 11/24 to natal Uranus. Directed Saturn is conjunct South Node radix.

Although anecdotal at this time, I believe that Venus conjunct or parallel Jupiter is a strong indication of Type 1 diabetes. Any connection to the diabetic degrees with this strongly increases insulin resistance.

Anthony Mansollilo

Source: DD on time.

Aug. 8, 1961, 12:00 PM, EST Miami, FL

ASC 15 Leo 53' per solar houses. Venus and Jupiter form a wide separating inconjunct at birth. Venus is contraparallel Jupiter within one minute of arc. At 33 years, when the diagnosis was made, progressed Venus made a 165 or 11/24 to Jupiter radix, one degree 02' minutes applying on his birthday.

Rocky Aoki,

Source: DD on time.

Oct. 9, 1938 12:00 PM, JST

Sun on 1<sup>st</sup> at 15 Lib 10' . Venus has a separating square to Jupiter, 4 Deg 42'.

Progressed Jupiter squares Venus radix five years before death. Jupiter is inconjunct Neptune at birth less than one degree applying. Maybe this is the hepatitis C and cirrhosis signature. Neptune is definitely on the liver area by QOTZ.

Henry Mancini

Source: A Rating, from him to Jansky

Apr. 16, 1924, 0:10 AM EST, Cleveland, OH

Died Jun 14, 1994 Los Angeles, CA from pancreatic cancer.

I did not look at his chart until I had seen information on his death. Note that Venus is separating from an opposition to Jupiter by eight degrees. When you progress Jupiter to natal Venus at death, it is one degree 15' applying to Venus radix opposition, 0 deg 20' applying to progressed Venus as an inconjunct, and 1 deg 00' applying to an inconjunct to Pluto. Venus has spent the last several years at the pancreatic degrees and has stationed and gone retrograde. You can see from this that you might have to look beyond defaults and also see the connection between diabetes and pancreatic cancer. Note also that there is information by degrees.

Waylon Jennings

Source: DAV 4351, Jacques de Lescaut, Vol 14

Jun. 14, 1937, 10:30 AM CST, Littlefield, TX

Died Feb. 13, 2002, Chandler, AZ from diabetic complications.

Note that there is not a traditional aspect between Venus and Jupiter. However, the 1<sup>st</sup> house of life is ruled by the Sun, which has a semi-square to Venus OS02 and an inconjunct to Jupiter 2A46. This may be interpreted as a threat or promise of a lack of vitality. At death, note that there is a grand trine to Jupiter at 18 CAP 35' radix, in fall, opposition to Venus at 15 CAN 19 at pancreatic degree. Jupiter is trining Uranus on the cusp of the progressed 8<sup>th</sup> 13 TAU 41, and Neptune at 17 VIR 49'. Transiting Mars/Saturn is conjunct Uranus at 13 TAU 22'. The Venus opposite Jupiter is on the MC-IC axis, along with the Uranus/Neptune midpoint.

Art Buchwald

Source: AA Rating, from AstroDatabank

Oct. 20, 1925, 1:00 PM EST, Mount Vernon, NY

Note T square between Jupiter at 15 CAP 19' in fall opposition Pluto at 14 CAN 44 radix (on pancreas) square Mars at 14 LIB 17' (on renal arteries). Wide parallel of Venus and Jupiter 1 deg 27' separating. At death, secondary progressed T square Venus 24 AQ 51' opposite Neptune 24 LEO 17 radix, square Saturn 23 SCO 36'. This Venus opposed Neptune on radix 2<sup>nd</sup> and 8<sup>th</sup> houses. In solar return, Mars is on precessed ascendant and Neptune is on precessed IC.

Marcello Mastroianni

Source: A, Rodden via Bardoni

Sep 26, 1924, 12:15 PM, Frosinone, Italy

Pluto at 13 CAN 30'. Penguern uses a three degree orb, thus Pluto is a pancreatic cancer significator. Pluto is on cusp of 8<sup>th</sup>, partile to cusp inconjunct Jupiter on ascendant. Venus is trine Jupiter 4S09'. In directed chart at death, Venus/Neptune = Saturn radix. Directed Uranus in 6<sup>th</sup> inconjunct Saturn radix. In solar return at death Uranus/Neptune on precessed 8<sup>th</sup> cusp. Jupiter is on precessed 7<sup>th</sup> cusp, ruler of 6<sup>th</sup> house. Secondary Mars/Saturn a death aspect at 16 Cap 26 opposite diabetic degree and Pluto radix on 8<sup>th</sup> cusp. Progressed Mars/Neptune, which is illness, is at 7 GEM 50'. IC progressed is at 7 GEM 58'.

Rex Harrison

Source: A, Rodden

Mar. 5, 1908, 5:00 AM, Huyton, England

Died Jun 2, 1990 in Manhattan of pancreatic cancer.

Natal Uranus 15 CAP 59' opposite natal Neptune at 12 CAN 10' radix, sandwiching the ascendant-descendant axis square Moon at 17 ARI 16'. By secondary progression, Venus is opposed to Uranus 0 deg A 43' By direction, Venus is conjunct natal Neptune. Directed Neptune forms a 165 to Moon radix.

Patrick Swayze

Source: A Rating, in AstroDatabank

Aug. 18, 1952, 8:10 AM CST, Houston, TX

Uranus is at 16 CAN 41' square Saturn and Neptune. By progression to the announcement date, Venus opposes Jupiter 0A17'. Sun = Saturn/Neptune in the progressed 12<sup>th</sup> house—hospital. Nodal axis on MC-IC.

Rocky Aoki, Anthony Mansollilo and Patrick Swayze are the most recent and only announcements and newspaper clippings used since I decided to publish this paper.

**Table 1 THE QUANTIFIED ORGANIC TROPICAL ZODIAC<sup>12</sup>**

**Translated by Mary L. Vohryzek from ANATOMISCHE ENSPRECHUNGEN DE TIERKREISGRADE by Elspeth and Reinhold Ebertin**

<b>Aries</b>	14. True vocal cords	29. Fourth rib
1. Cerebrum	15. Epiglottis	30. Fifth rib
2. Mid-brain-mesencephalon	16. Abscess carotid artery	
3. Cerebellum (abscess)	17. Thyroid gland, tonsils	<b>Cancer</b>
4. Pineal Gland	18. Lymph vessels (appendix)	1. Sixth rib
5. Right or Left Eye –(hair)	19. Maxillary artery	2. Seventh rib
6. Orbital Cavity (socket of eye)	20. Occipital bone (goiter)	3. Eighth rib, visual sense
7. Ear (Jaundice)	21. Sinus artery	4. Ninth rib
8. Cheekbone	22. Hyoid muscle	5. 10 <sup>th</sup> to 12 <sup>th</sup> rib
9. Eyeballs	23. Teeth (rheumatism)	6. Diaphragm
11. Optic Nerve	24. Upper jaw	7. Thoracic canal
12. Tongue (hair)	25. Lower jaw, alcoholism	8. Hyacus paralysis
13. Corpus callosum (band of nerve fibers) Rheumatism	tonsils, glands, suicide	9. Pylorus
14. Frontal Lobes (brain)	26. Nasal bone	10. Gastric fundus
15. Lateral lobes, stroke, suicide	27. Cervical vertebrae	11. Gastric veins
16. Pons Vareli	28. Trigon	12. Large gastric curvature
17. Spinal cord canal	29. Trigon, (visual sense)	13. Large gastric curvature
18. Nerve connections	30. Trapezius	14. Stomach walls
19. Corpus callosum cerebri	<b>Gemini</b>	15. Gastric nerves
20. Hyoid bone	1. Trachea	16. Pancreas
21. Eye muscle	2. Esophagus	17. Pancreas opening
22. Cheek muscle	3. Upper right pulmonary lobe (appendix)	18. into common duct
23. Masticatory muscle	4. Lower right pulmonary lobe anxiety, pulmonary inflammation	19. Head of pancreas
24. Zygomatic muscle	5. Upper left pulmonary lobe	20. Upper arterial bend
25. Sternocleidomastoid muscle	6. Lower left pulmonary lobe anxiety, lung infection	21. Lower arterial bend
26. Skull	7. Apex of the lungs, heart	22. Gastric mucosa
27. Fornix (Tuberculosis)	8. Eyesight, bronchial tubes (bronchial system)	23. Gastric blood vessels
28. Fornix (hair)	9. Pulmonary artery, rheumatic fever	24. Blood vessels of
29. Auditory canal (bronchitis)	10. Hilus	25. Digestive organ
30. Parotid gland	11. Thymus gland	26. Mammary
<b>Taurus</b>	12. Tracheal mucosa	27. Glands
0. Throat or gullet	13. Pulmonary veins	28. Rib cartilage
1. Palate	14. Clavicle (collarbone)	29. Spleen
2. Opening of throat	15. Scapula (shoulder blade)	30. 12 <sup>th</sup> dorsal vertebra
3. Uvula	16. Pleura	
4. Throat or larynx space	17. Bright's disease (kidneys) 1 <sup>st</sup> rib	<b>Leo</b>
5. Larynx	18. Asthma second rib	1. Left coronary artery
6. Vocal cords	19. Laryngal muscles	2. Aorta
7. Cervical nerves	20. Third rib	3. Right artery
8. Jugular vein	21. Arm muscles	4. Left carotid
9. Cervical vein (alcoholism)	22. Upper arm appendicitis, insanity	
10. Neck nerves connecting with the spinal cord (Neurasthenia)	23. Spine	
11. Neck nerves connecting with the spinal cord (Neurasthenia)	24. Elbow	
12. Neck nerves connecting with the spinal cord (Neurasthenia)	25. Radius, gout, neurasthenia	
13. Neck nerves connecting with	26. Wrist bones, suicide	
	27. Phalanges (fingers)	

the spinal cord (Neurasthenia) 28. Metacarpal bones, tuberculosis 5. Right carotid

6. Entrance of pulmonary artery, eyesight
7. Left coronary vein
8. Vena cava, anemia, hearing
9. Upper vena cava, alcoholism
10. Jugular vein
11. Clavicular vein
12. Spinal column
13. Right heart chamber
14. Left heart chamber
15. Right atrium
16. Left atrium
17. Right auricle
18. Right cardiac cavity
19. Ventricular septum, spine
20. Mitral valve, heart
21. Left atrium
22. Left auricle, appendix
23. Left auricle, rheumatism
24. Papillary muscle
25. Pericardium, alcoholism
26. Myocardium
27. Tendons to goiter
28. Heart valve
29. Cardiac septum, neuritis
30. Back in general

#### Virgo

1. Duodenum
2. Small intestine
3. Cecum (appendix)
4. Ascending colon, asthma
5. Transverse colon
6. Descending colon
7. Rectum
8. Abdominal cavity
9. Right hepatic lobe, Rheumatic fever
10. Left hepatic lobe
11. Ligament of trietz and gall
12. Abdominal aorta
13. Hepatic arteries
14. Gallbladder artery
15. Wart hump (lit.) Breast? May be in liver area
16. Hepatic groove
17. Abdominal muscle
18. Serrate groove

26. Abdominal vein
27. Hip veins, tuberculosis
28. Hepatic veins
29. Back lobes of liver
30. Hepatic duct

#### Libra

1. Kidney, pelvis
2. Renal cortex
3. Adrenals (abscess)
4. Kidney surfaces, goiter
5. Malpighi's Pyramid
6. Pubis
7. Jaundice, nervous system
8. Of the kidney
9. And
10. Renal Pelvis
11. Same as 10
12. Left renal system
13. Right renal system
14. Left inguinal gland
15. Right inguinal gland
16. Renal arteries
17. Adrenal arteries  
Kidney illness
18. Fatty capsule of kidneys
19. Great renal calyx
20. Small renal calyx
21. Renal hilus
22. Renal veins
23. Adrenal veins
24. Vascular circulation
25. Of the renal cortex
26. Vascular system
27. Of the skin, TB
28. Urinary bladder
29. Right ureter, bronchitis
30. Left ureter

#### Scorpio

1. Urethra opening
2. Urethral meatus
3. Prostate, uterus
4. Testicles, right side uterus
5. Testicles, left side uterus
6. Right epididymis, uterine cavity
7. Left epididymis, right fallopian tube

14. Foreskin, prepuce
15. Cowpers gland
16. Coclear head, right ovary
17. Testicular lobes, right ovary, abscess
18. Efferent ducts hymen, left ovary
19. Uterine ligaments, Haller's Netz
20. Ligaments of penis, Bartholin's gland, goitre
21. Sphenoidal cavity
22. Ethmoid bone and ligaments
23. Nasal bone
24. Nasal septum
25. Coccyx, tonsils ovarian ducts
26. Perineum
27. Anus
28. Mucous membranes
29. " "
30. Nasal muscles

#### Sagittarius

1. Pelvic bone
2. Ilium, hip bone
3. Ishchium
4. Femur
5. Right large femoral artery
6. Left large femoral artery
7. Right surface femoral artery
8. Left surface femoral artery
9. Rt. Lymphatic vessel
10. Lt. Lymphatic vessel

19. Left hepatic groove
20. Bile duct
21. Gall bladder duct
22. Gall bladder
23. Hepatic cartilage, spine
24. and tendons of liver
25. Liver, cancer, gout  
Arthritis
17. Sciatic nerve
18. Right femoral (kreiser)
19. Left femoral (kreiser)
20. Right head of femur
21. Left head of femur
22. Right trochanter
23. Left trochanter, spine
24. Hollow of knee, popliteal fossa  
Cartilage
25. Condyle of right femur, gout  
Neurasthenia
26. Condyle of left femur
27. Gluteal muscles
28. Right leg muscle
29. Left leg muscle
30. Pear shaped muscle

#### Capricorn

1. Right patella
2. Left patella
3. Cutaneous nerves of upper leg
4. Cutaneous nerves of tibia
5. Cutaneous nerves of knee
6. Right adductor muscle
7. Left adductor muscle
8. Lymph vessels of knees  
Paralysis
9. Veins of knees
10. Ligaments of right knee
11. Ligaments of left knee
12. Right knee joint
13. Left knee joint
14. Right knee cartilage
15. Left knee cartilage
16. Right knotty protuberance
17. Left knotty protuberance
18. Right ligaments of knee
19. Left ligaments of knee
20. Tendons of right knee
21. Tendons of left knee
22. Muscle endings
23. From upper to lower legs
24. Same as 23
25. Connections between femur
26. and tibia
27. Deep lying nerves
28. Artery of right knee
29. Artery of left knee

8. Scrotum, left fallopian tube
9. Spermatic duct, vagina
10. Corpus cavernum oesum  
neurasthenia
11. Penis, labia majora
12. Seminal vesicles
13. Vulva, labia minora, glans  
penis
4. Left fibula
5. Nerve of right fibula
6. Nerve of left fibula
7. Vein of lower right leg
8. Vein of lower left leg
9. Skin of right lower leg
10. skin of lower left leg
11. Right crural band
12. Left crural band
13. Artery of right lower leg
14. Artery of left lower leg
15. Lymph vessel of right lower  
leg
16. Lymph vessel of lower left  
leg
17. Bright's disease of the spinal  
cord

18, 19, 20 & 21 Same as 17.

22. Right gastrocnemius, appendix
23. Left gastrocnemius
24. Right tibial muscle
25. Left tibial muscle
26. Right fibula
27. Left fibula
28. Right tibia
29. Left tibia
30. Connections

#### Pisces

1. Right heelbone
2. Left heelbone
3. Nerves of the right foot, appendix
4. Nerves of the left foot, asthma
5. Right cuboid bone
6. Left cuboid bone
7. Right anklebone
8. Left anklebone
9. Right metatarsus, rheumatic fever
10. Left metatarsus, typhoid fever
11. Lymph vessels of feet
12. Artery of right foot
13. Artery of left foot
14. Right surface veins
15. Left surface veins
16. Cruciate ligaments of right foot
17. Cruciate ligaments of left foot
18. Right extensor digitorum (toe extensor)
19. Left extensor digitorum

11. Adductor  
muscle
12. Lg Tibial vein
13. Rosen vein
14. Surface  
femoral vein
15. Rt hip veins
16. Lft hip veins
27. Phalanges of right  
foot, nephritis
28. Phalanges of left  
foot, tuberculosis
29. Toe nails of rt foot
30. Toe nails of lft foot

There are some psycho-  
logical connections with  
body parts. Mostly,  
these are omitted since  
this work is looking for  
physical manifestations

**30. Adductor muscles**

**Aquarius**

- 1. Right shinbone nerve  
Fatty degeneration**
- 2. Left shinbone nerve**
- 3. Right fibula**

**20. Right fibular muscle**

- 21. Left fibular muscle, typhoid fever**
- 22. Achilles heel of right foot, appendicitis**
- 23. Achilles heel of left foot, spine**
- 24. Right capsular joint**
- 25. Left capsular joint, cancer, gout**
- 26. Nerves of the lower feet**

Table 2

## QUIZ II WHAT ARE YOUR CURRENT EATING HABITS? <sup>13</sup>

Rationale: Highly processed foods, those most commonly eaten, contain many pro-inflammatory substances. If you are not very careful about what you eat, you likely consume large amounts of pro-inflammatory foods.

### Eating Habits at Home

Do you or your significant other cook with corn, peanut, sunflower, safflower or soy oil as opposed to olive or grapeseed oil? Add 3 points \_\_\_\_\_

Do you eat a prepackaged microwave meal that provides a full meal as opposed to only frozen vegetables more than once a week? Add 1 point \_\_\_\_\_

Do you eat any foods packaged in boxes, such as ready-to-eat cereals, flavored rice, meat extenders, and other boxed foods, more than once a week? Add 1 point \_\_\_\_\_

When you eat at home, do you use bottled salad dressings that contain soy or safflower oil or partially hydrogenated fats as opposed to olive oil? Check the label. Add 2 points \_\_\_\_\_

Do you eat pasta, bread, or pizza, one, some or all three daily? Add 2 points \_\_\_\_\_

Do you eat baked goods such as cookies, coffee cakes, other cakes, doughnuts, packaged brownies, cakes or similar food products at least once a week? Add 2 points \_\_\_\_\_

Do you use margarine instead of butter? Add 2 points \_\_\_\_\_

Do you eat a lot of hamburgers? Add 1 point \_\_\_\_\_

Do you dislike eating fish? Add 1 point \_\_\_\_\_

Do you drink regular (sweetened) soft drinks or add sugar to your coffee or tea? Add 1 point \_\_\_\_\_

### Eating Habits in Restaurants

Do you eat at fast food restaurants such as McDonalds, Burger King, KFC, Taco Bell or others at least once a week? Add 2 points \_\_\_\_\_

Do you eat at a Chinese restaurant more than once a week? Add 2 points \_\_\_\_\_

Do you eat pasta or pizza in a restaurant at least once a week? Add 2 points \_\_\_\_\_

Do you eat breaded and fried fish or deep fried shrimp more than every week or two? Add 2 points \_\_\_\_\_

Do you eat French fries? Add 2 points \_\_\_\_\_

Do you eat mostly beef? Add 1 point \_\_\_\_\_

If you eat beef, is hamburger your favorite type? Add 1 point \_\_\_\_\_

Do you order soft drinks when you eat out? Add 1 point \_\_\_\_\_

Your score on Quiz II \_\_\_\_\_

Interpretation and ranking:

- 0-2 Low      You are eating a low inflammation diet, which is the best way to protect yourself from chronic inflammation.
- 3-5 Moderate      You are eating a moderate inflammation diet, which may set the stage for chronic inflammation.
- 6-19 High      You are eating a high inflammation diet, which substantially increases your risk of inflammatory diseases.
- 20+ Very High      You are eating a very high inflammation diet, which greatly increases your risk of disease.

Although this quiz is for tamping down TMS, which is a major factor for diabetes, it is good for prevention of disease in general.

### Supplements

In addition to correcting your eating habits, there are recognized supplements for TMS or Type 2 diabetes. **The supplements must be checked with a health professional for type and dose.** I do not have the laboratory studies for backup, but you might want to consider researching these supplements on your own or with your nutritionist. They are recommended for other health concerns as well. These items overlap many areas of concern. You also might want to suggest to your clients investigation of the Glycemic Index and Autonomic Nervous System to aid in improving diet. Homeopathy and other alternative approaches have not been developed because of limited space.

#### **Biotin**<sup>14</sup>

**EPA/DHA (fish oils)** 1,400 mg eicoaspentaenoic acid and 1,000 mg docosahexanoic acid; helps increase fluidity of cell membranes and enables insulin to move glucose into the cells more effectively.<sup>15: 34-41</sup>

**Chromium** 200 mcg 2 or 3 times daily with meals for TMS, 300 mcg 3 times a day for diabetes.<sup>15: 42-44</sup>

**White Bean Extract** (*Phaseolus vulgaris*) 445 mg of white bean extract twice daily in overweight adults led to a 6.4 pound weight loss (while maintaining lean body mass) after 30 days compared with only 0.8 pounds in non-treated subjects.<sup>15: 45</sup>

**DHEA** 15-75 mg daily.<sup>15: 46</sup>

**Vitamin D<sub>3</sub>** 1,000 – 4000 IU/day.<sup>15: 47-50</sup>

**Magnesium** 320-420 mg/day. Improved sensitivity to insulin is generated by magnesium and can dramatically reduce triglycerides by as much as 75 mg/dL.<sup>15: 51-57</sup>

**Flavenoids--polyphenols** from green tea, cocoa and apples.<sup>15: 58-78</sup>

**Resveratrol.**<sup>15:70</sup>

There are other supplements listed in various sources which also add the following for TMS and Type 2 diabetes: Alpha lipoic acid, Vanadyl sulfate, Coenzyme Q<sub>10</sub>, Carnosine, Conjugated linolenic acid, L-carnitine, Vitamin E, Vitamin C, Arginine, Glutamine, and N-acety-cysteine.<sup>16</sup>

#### Endnotes

1. De Penguern, G. H. *Institute for Teaching and Research in Astro-Psycho-Physics Workbook*. FL: Richard Nelson, 2005. ASTROPSYCHOPHYSICS—Guy really means Astronomy-Psychology-Physics (or that his work is meant to be more scientifically oriented).

2. Tyl, N. *Astrological Timing of Critical Illness*. St. Paul, MN: Llewellyn Publications, 1999.

3. Bills, R. *The Rulership Book*. Richmond, VA: McCoy Publishing and Masonic Supply Co., Inc., 1971.

4. Lehman, J. L. *The Book of Rulerships*. West Chester, PA: Whitford Press, 1992.

5. There was an ease in picking up many charts of people who died of diabetes or had it listed as the main cause of death. There is a disadvantage in not being able to talk to them in their lifetime regarding onset, reaction to diagnoses, and other complications. Accurate birth time charts were available in quantity from Horoskopdatenbank des DAV, Lois Rodden's Astrodata I- IV, and Profiles of Women. For charts with no birth time, a major source was the International Movie Data Base and newspaper articles. When a notable passes on, it is an easy matter to get birth dates, places of the births and deaths. It is easy in this case to see Venus-Jupiter relationships in spite of birth time. I am now trying to gather as much as possible from living clients and contacts, not only for the birth times, but also how their current health is.

6. See [www.mercola.com](http://www.mercola.com). His source was [www.physorg.com](http://www.physorg.com), June 25, 2008.

7. The equation of time makes it possible to pass from a system based on the mean solar time to a system based on true solar time. The equation is the formal difference between clock time (Greenwich Mean Time) and sun time (apparent solar time). It was created as the result of the true annual time discrepancy caused by a combination of the earth's tilt (angle of obliquity) and the fact that the earth's orbit around the sun is an ellipse and not a circle. I first became aware of the equation when I came out of the Nice France bus station and saw a big sundial. The equation was listed on the sundial. I paid no further attention until Guy made a strong point of it. An example, Prince Charles was born at 9:14 PM on November 14, 1948, a leap year. Tables of corrections start with a leap year and give slight changes for each year following. The adjustments are different by seconds for the following years because of the extra day added in the leap year. If you look up November 14 in the leap year table, the adjustment is minus fifteen minutes and thirty one seconds. That gives a real birth time of 8:58:29 pm. You can find this

table in my website, [www. myachillesheel.com](http://www.myachillesheel.com). Go to Table F for leap years. Table G will give you the adjustments for the year after the leap year, two years after the leap year and three years after the leap year. If you Google the equation of time, you will see a site called sundials on the internet which gives an explanation, a time curve and tables. NOAA sometimes even gives a table where you can insert the date and the program will give you an exact number to add or subtract. Sundials on the Internet is a great site. [www.netcom/~abraxas2/eot.html](http://www.netcom/~abraxas2/eot.html) gives you seconds for each day of the year, but anal types should note that because of leap years each following year is off by seconds. NASA sometimes lists a site that calculates for you. While birth times are not essential for diabetes investigations, they are for other diseases, such as cancer.

8. de Villefranche, M. *Astrosynthesis The Rational System of Horoscope Interpretation according to Morin de Villefranche. (21<sup>st</sup> Book of Astrologica Gallica)*. Tr. by Lucy Little. NY: Zoltan Mason Emerald Books, 1974.

*Sendings* is concept more fully explored in De Penguern, G. H. *Institute for Teaching and Research in Astro-Psycho-Physics Workbook*. FL: Richard Nelson, 2005, p. 31. Guy de Penguern's exact translation from *21<sup>st</sup> Book of Astrologica Gallica, The active celestial objects and their inert subliminary determination*, is as follows:

“The position where the Sun appears, for example, at the birth of a man or an animal holds for the whole time this individual will live, and only as far as he is concerned, the solar nature. In the same way, the position occupied at that moment, by Saturn, the saturnian nature, etc. These positions function as far as that person is concerned, for his whole life, by the way of the planets from which these determinations proceed. And not only the position in the sky occupied by Saturn itself, for example, is determined towards the saturnian nature, but also the positions where are its antiscia and where its opposition ends, and all its other aspects as well. Dexters and sinisters on all these positions will be kept in relation to the individual saturnian virtue.”

Guy comments on the above:

“What does that all mean? That with 11 planets (Guy uses Chiron as well as the outer planets) including the sun which is a star, but we call it a planet for the ease of discourse—as many aspects as one uses in his or her astrological work, we have either 152 positions of the zodiac where there is the influence of each of the planets involved in the SENDING. That, of course, fills in the houses desperately devoid of information where there is no planet at all. This technique, that I have been using for 24 years now, when my only teacher, Mr. Gustave Arcivaux of Marseille, France showed me the astonishing results and that is not an astonishing hypothesis, as Watson wrote, in his late book, about our spirit-mind-intelligence.”

9. Reeves, R. *The Quindecile*. St. Paul, MN: Llewellyn Publications, 2001. The quindecile is a misnomer. All multiples of 15 degrees are quindeciles. This is why I mention either 165 degrees, 11/24ths, etc.

10. Boehrer, Kt. *Declinations: The Other Dimension*. TX: Fortunata Press, 1994.
11. Kurzweil, R. and Grossman, T. *Fantastic Voyage*. New York, NY: Plume (Penguin) 2004, p. 127, Chapter 9, note 13. TMS was initially described by Dr. Gerald Reaven in 1988. Reaven initially called it *metabolic syndrome*. See Reaven, GM. 1988 “Banting Lecture: Role of insulin resistance in human disease.” *Diabetes*. 37: 1595-1607. As of October 2003, according to the ICD-9-CM (International Classification of Disease), it should now be called *dysmetabolic syndrome X* or *dysmetabolic syndrome*, but because *metabolic syndrome* is more commonly known and used, we will continue to use the old nomenclature.
12. This list is also found in the Spring, 2006 issue of *Geocosmic Journal*, pp. 90-91. The title of this table is Guy’s nomenclature. The body parts are activated by sendings, hence his addition of Tropical Organic.
13. Challem, J. *The Inflammation Syndrome*. Hoboken, NJ: John Wiley & Sons, 2003.
14. Kurzweil, R. and Grossman, T. *Fantastic Voyage*. New York, NY: Plume (Penguin) 2004, p. 137, Chapter 9, note 43. MF McCarty, 1999 “High dose biotin, an inducer of glucokinase expression may synergize with chromium picolinate to enable a definitive nutritional therapy of type II diabetes.” *Med Hypotheses*. 52(5):401-406.
15. Life Extension, P.O. Box 407198, Fort Lauderdale, FL 33340-7198. This is an organization that publishes a monthly magazine on various aspects of health. With 30 MDs on their advisory and scientific boards, and as a supplement sales organization, they are, in their words, the *ultimate* source for new health and medical findings from around the world. For more information, contact [LEmagazine@lef.org](mailto:LEmagazine@lef.org).
- Life Extension, August 2008 references 34-70, pp. 74-76.
34. Available at: <http://www.americanheart.org/presenter.jhtml?identifier=4632>. Accessed April 1, 2008.
35. Calder PC. N-3 fatty acids and cardiovascular disease: evidence explained and mechanisms explored. *Clin Sci (Lond)*. 2004 Jul;107(1):1-11
36. Stark KD, Park EJ, Maines VA, Holub BJ. Effect of a fish oil concentrate on serum lipids in postmenopausal women receiving and not receiving hormone replacement therapy in a placebo-controlled, double blind trial. *Am J Clin Nutr*. 2000 Aug;72(2):389-94.
37. Tsitouras PD, Gucciardo F, Salbe AD, Heward C, Harman SM. High Omega-3 Fat Intake Improves Insulin Sensitivity and Reduces CRP and IL6, but does not Affect Other Endocrine Axes in Healthy Older Adults. *Horm Metab Res*. 2008 Mar;40(3):100-205
38. Barre DE. The role of consumption of alpha-linolenic, eicosapentanoic and docosahexanoic acids in human metabolic syndrome and Type 2 diabetes—a mini review. *J Oleo Sci*. 2007;56(7):319-25.
39. Ciubotaru I, Lee YS, Wander RC. Dietary fish oil decreases C-reactive protein, interleukin-6 and triacylglycerol to HDL-cholesterol ratio in postmenopausal women on HRT. *J Nutr Biochem*. 2003 Sep;14(9):513-21.

40. Dewailly E, Blanchet C, Lemieux S. et al. n-3 Fatty acids and cardiovascular disease risk factors among the Inuit of Nunavik. *Am J Clin Nutr.* 2001 Oct;74(4):464-73.
41. Albert CM, Campos H, Stampfer MJ, et al. Blood Levels of Long Chain n-3 Fatty Acids and the risk of Sudden Death. *N Engl J Med.* 2002; 346(15):113-8.
42. Anderson, RA, Cheng N, Bryden NA, et al. Elevated intakes of supplemental chromium picolinate improve glucose and insulin variables in individuals with Type 2 diabetes. *Diabetes.* 1997 Nov;46(11):1786-91.
43. Martin J, Wang ZQ, Zhang XH, et al. Chromium picolinate supplementation attenuates body weight gain and increases insulin sensitivity in subjects with Type 2 diabetes. *Diabetes Care.* 2006 Aug;28(8):1826-32.
44. Broadhurst CL, Domenico P, Clinical studies on Chromium picolinate supplementation in diabetes mellitus—a review. *Diabetes Technol Ther.* 2006 Dec;8(6):677-87.
45. Celleno L, Tolaini MV, D'Amore A, Perricone NV, Preuss HG. A Dietary supplement containing standardized *Phaseolus vulgaris* extract influences body composition of overweight men and women. *Int J Med Sci.* 2007;4(1):45-52.
46. Villareal DT, Holloszy JO. Effect of DHEA on abdominal fat and insulin action in elderly women and men: a randomized controlled trial. *JAMA.* 2004 Nov 10; 292(18):2243-8.
47. Holick MF. High prevalence of vitamin D inadequacy and implications for health. *Mayo Clin Proc.* 2006 Mar;81(3):353-73.
48. Holick MF. Vitamin D deficiency. *N Eng J Med.* 2007 Jul 19; 357(3):266-87.
49. Binkley N, Novotny R, Krueger D, et al. Low vitamin D status despite abundant sun exposure. *J Clin Endocrinol Metab.* 2007 Jun;92(6):2130-35.
50. Timms PM, Mannan N, Hitman GA, et al. Circulating MMP9, vitamin D and variation in the TIMP-1 response with VDR genotype: mechanisms for inflammatory damage in chronic disorders? *QJM.* 2002 Dec; 95(12):787-96.
51. Guerrero-Romero F, Tamez-Perez HE, Gonzalez-Gonzalez G, et al. Oral magnesium supplementation improves insulin sensitivity in non-diabetic subjects: a randomized double-blind placebo-controlled randomized trial. *Diabetes Metab.* 2004 Jun;30(3):253-8.
52. Rodriguez-Moran M, Guerrero-Romero F. Oral magnesium supplementation improves insulin sensitivity and metabolic control in Type 2 diabetic subjects: a randomized double-blind controlled trial. *Diabetes Care.* 2003 Apr;26(4):1147-52.
53. Yakota K, Kato M, Lister F, et al. Clinical efficacy of magnesium supplementation in patients with Type 2 diabetes. *J Am Coll Nutr.* 2004 Oct; 23(5):506S-9S.
54. Song Y, Ridker PM, Manson JE, et al. Magnesium intake, C-reactive protein, and the prevalence of metabolic syndrome in middle-aged and older U.S. women. *Diabetes Care.* 2005 Jun;28(6):1438-44.
55. Rasmussen HS, Aurup P, Goldstein, et al. Influence of magnesium substitution therapy on blood lipid composition in patients with ischemic heart disease. A double-blind, placebo controlled study. *Arch Intern Med.* 1989 May;149(5):1050-3
56. Farvid MS, Siassi F, Jalali M, Hosseini M, Saadat N. The impact of vitamin and/or mineral supplementation on lipid profiles in Type 2 diabetes. *Diabetes Res Clin Pract.* 2004 Jul;65(1):21-8.
58. Schramm DD, Wang JF, Holt RR, et al. Chocolate procyanidins decrease the leucotriene-prostacyclin ratio in humans and human aortic endothelial cells. *Am J Clin Nutr.* 2001 Jan;73(1):36-40.

59. Ohta Y, Funayama M, Seino H, et al. Apple polyphenol improves lipid metabolism and insulin dependence in obese rats. *Nippon Shokuhin Kagaku Kogaku Kaishi*.i. 2007;54(6):287-94.
60. Serisier S, Leray V, Poudroux W. et al. Effects of green tea on insulin sensitivity, lipid profile and expression of PPARalpha and PPRgamma and their target genes in obese dogs. *Br J Nutr*. 2007 Dec6;1-9.
61. Grassi D, Lippi C, Necozione S, Desideri G, Ferri C. Short term administration of dark chocolate is followed by a significant increase in insulin sensitivity and a decrease in blood pressure in healthy persons. *Am J Clin Nutr*. 2005 Mar;81(3):611-14.
70. Thirunavukkarasu M, Penumathsa SV, Koneru S, et al. Resveratrol alleviates cardiac dysfunction in streptozotocin induced diabetes. Rose of nitric oxide, thioredoxin, and heme oxygenase. *Free Radic Biol Med*. 2007 Sep 1;43(5):720-9.

16. These are mentioned by Marcus Laux, MD, James Mercola, DO, and Robert Rowan, MD in various electronic correspondences to subscribers, as well as in their monthly newsletters.

### **Bibliography**

Chilton, F. H. (with Tucker, L. ) *Win the War Within*. PA: Rodale Press, 2006, pp. 59-61.

Cornell, H. L. *Encyclopedia of Medical Astrology*. 3<sup>rd</sup> Edition, Llewellyn Publications and Samuel Weiser, Inc. 1972. NY: Nobel Offset Printers, Inc., 1981.

Delsack, L. *How Emotional Conflicts Trigger Disease*, Available as an e-book. Contact Lauren Delsack through <http://www.laurendelsack.com>.

Dorland's Illustrated Medical Dictionary, 30<sup>th</sup> Edition. Philadelphia, PA: Saunders, An Imprint of Elsevier. 2003.

Ebertin, R. *Astrological Healing*. York Beach, ME: Samuel Weiser, 1989.

Nauman, E. DHM (UK). *Medical Astrology*. Cottonwood, AZ: Blue Turtle Publishing, 1993.

Rudolph, L. *Alfred Witte's Rules for Planetary Pictures. The Astrology of Tomorrow*. FL: Penelope Publications. 1999.

Witte, A. *Rules for Planetary Pictures*. Hamburg: Witte-Verlag; published and distributed in Plantation, FL: Penelope Publications, 1996.

All Right Reserved

**Richard Nelson** was educated at the University of Illinois and Northwestern Graduate School of Business. He divides his time between a chemical engineering business and astrological research focused on diabetes, cancer, heart and circulation problems found in the natal chart and manifested through various chart advancement techniques. His interest in astrology began when

he was hired by virtue of his birth time in the early 70s, and he has been studying, researching, and teaching ever since. The president of the NCGR's Florida Atlantic Chapter since July, 2007, Richard can be reached at (305) 275-6555 or [abootis@aol.com](mailto:abootis@aol.com).